

WORLDWIDE HEADQUARTERS GPI International Limited

SALES AND DISTRIBUTION OFFICES

ASIA

Singapore

GP BATTERY MARKETING (SINGAPORE) PTE. LIMITED 97 Pioneer Road, Singapore 639579 Tel: (65) 6559 9760 Fax: (65) 6559 9761 Email: gpbms@gpbatteries.com.sg Website: www.gpbatteries.com/sg

Malavsia

GP BATTERY MARKETING (MALAYSIA) SDN. BHD. Lot 8, Jalan Pemberita U1/49, Temasya Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan, Malaysia Tel: (60) 3 5569 3499 Fax: (60) 3 5569 3498 Email: gpbmm@gpbatteries.com.sg Website: www.gpbatteries.com/my

Thailand

GP BATTERY MARKETING (THAILAND) CO., LTD. 106 Soi Sukhumvit 26, Sukhumvit Road, Klongton, Klongtoey, Bangkok 10110, Thailand Tel: (66) 2 260 1318 Fax: (66) 2 260 1315 Email: thaicontact@gpbatteries.com.sg

GPI INTERNATIONAL (SHENZHEN) LTD. Rm. B, 32/F, International Trade Commercial Building, No. 3005 Nanhu Road, Shenzhen, China 518000 Tel: (86) 755 6186 2233 Fax: (86) 755 2519 0260 Email: gpii_shenzhen@gpbatteries.com.cn

HUIZHOU CHAO BA BATTERY TECHNOLOGY CO., LTD. 3F, South of the Huidian Business Building, No. 694 Quxi Road, Huangpu District, Shanghai, China 200023 Tel: (86) 21 6336 0966 Fax: (86) 21 6336 0807 Email: mgt_sh@gpbatteries.com.cn

Hong Kong GP BATTERY MARKETING (H.K.) LIMITED 8/F, Gold Peak Building, 30 Kwai Wing Road, Kwai Chung, N.T., Hong Kong. Tel: (852) 2420 0281 Fax: (852) 2494 9349 Email: gpbmhk@goldpeak.com Website: www.gpbatteries.com/hk

VECTRIX INTERNATIONAL LIMITED 4/F, Gold Peak Building, 30 Kwai Wing Road, Kwai Chung, N.T., Hong Kong. Tel: (852) 2484 3447 Fax: (852) 2484 1362

GOLD PEAK INDUSTRIES (TAIWAN) LIMITED - TAIPEI OFFICE 8/F, No. 148, Sec. 1, Xingsheng South Road, Zhongzheng Dist., Taipei 10061, Taiwan. Tel: (886) 2 2398 5598 Fax: (886) 2 2393 5551 / 2 2393 5552 Email: Is_ho@goldpeak.com

GWA ENERGY, INC., 4F, 27-1, Lane 169, Kangning St., Sijhih Taipei, Taiwan ZIP 22180 Tel: (886) 2 8695 1756 Fax: (886) 2 8695 1259 Email: billiou@gwaenergy.com Website: www.gwaenergy.com

South Korea

GP BATTERY MARKETING (KOREA) LIMITED 5/F, WhaDeok Building, 319-11, Yangjae-Dong, Seocho-Gu, Seoul, South Korea Tel: (82) 2 549 7188 / 549 7189 Fax: (82) 2 514 0623 Email: jh_baak@goldpeak.com Website: www.gpbattery.co.kr

GP BATTERY MARKETING MIDDLE EAST LIMITED FZC P.O. Box 7989, M4-02, Saif Zone, Sharjah, United Arab Emirates Tel: (971) 6 5578787 Fax: (971) 6 5578777 Email: md_pme@emirates.net.ae Website: www.gpbatteries.com/uae

Gold Peak Building, 8/F, 30 Kwai Wing Road, Kwai Chung, N.T., Hong Kong Tel: (852) 2484 3333 Fax: (852) 2480 5912 Email: gpii@goldpeak.com Website: www.gpbatteries.com

EUROPE

Russia

AZ LIMITED AZ LIMITED Building 4, vlad. "Tricolor", mic. dist. Vostryakovo, Domodedovo, Moscow Region, Russia 142072 Prospekt Andropova 18, korp. 5, floor 18 Moscow, Russia, 115432 Tel/Fax: (7) 495 926 5050 Website: www.gpbatteries.com/ru

POIATION OF THE CONTROL OF T Email: gpbp@gpbattery.com.pl Website: www.gpbatteries.com/pl

The Netherlands GP BATTERIES EUROPE B.V. Kortitzer 4, NL-5721 VE Asten, The Netherlands Tel: (31) 493 681030 Fax: (31) 493 681039 Email: info@gpbatteries-europe.com

The United Kingdom

Ine United Kingdom GP BATTERIES (UK) LIMITED Monument View, Chelston Business Park, Wellington, Somerset, TA21 9ND, United Kingdom Tel: (44) 1823 660044 Fax: (44) 1823 665595 Email: sales@gpbatteries.co.uk Website: www.gpbatteries.com/uk

France

GP BATTERY MARKETING FRANCE SA ZAE du Trou Grillon - BP 49 91280 Saint Pierre du Perray, France Tel: (33) 1 6989 6200 Fax: (33) 1 6989 6210 Email: info@gpbatteries.fr Website: www.gpbatteries.fr

GermanyGP BATTERY MARKETING (GERMANY) GMBH Schiessstrasse 68, D-40549 Dusseldorf, Germany Tel: (49) 211 5229540 Fax: (49) 211 52295454 Email: info@gpbatteries.de Website: www.gpbatteries.de

Italy
GP BATTERY MARKETING ITALY S.R.L.
Via. Alessandro Volta 3,
20090 Assago (Mi), Italy
Tei: (39) 02 488 2512 Fax: (39) 02 488 2865
Email: gpbatteries@gpbatteries.it Website: www.gpbatteries.it

Sweden
GPBM NORDIC AB
Argongatan 2 B, SE-431 53,
MoIndal, Sweden
Tel: (46) 31 799 1600 Fax: (46) 31 799 1601
Email: info@gpbmnordic.se

AMERICA

US & Latin America
GOLD PEAK INDUSTRIES (NORTH AMERICA) INC. 11235 West Bernardo Court, San Diego, CA92127-1638, U.S.A. Tel: (1) 858 674 6099 Fax: (1) 858 674 6496 / 674 5883 Email: sales@gpina.com Website: www.gpina.com

GP BATTERY MARKETING (LATIN AMERICA) INC. 8370 NW, 66th Street, Miami, Florida 33166, U.S.A.
Tel: (1) 305 471 7717 Fax: (1) 305 471 7718
Email: gpmiami@gpmiami.com

GP BATTERY MARKETING INC. Unit 7, 7780 Woodbine Avenue, Omr., 7700 Woodonie Avenue, Markham, Ontario, Canada L3R 2N7 Tel: (1) 905 474 9507 Fax: (1) 905 474 9452 Email: Oliver@gpbattery.com Website: www.gpbatteries.com/cd

GP BATTERY MARKETING INC. - B.C. Office Unit 822, 5300 No. 3 Road, Olin 22, 3300 No. 3 Rodd, Lansdowne Centre Richmond, B.C. Canada V6X 2X9 Tel: (1) 604-231 9905 Fax: (1) 604-231 9953 Email: gpbmbc@shawbiz.ca







Portable PowerBank® + Flashlights







Portable PowerBank

3 Series 3-6







7 Series (Fast Charging)

7-8





Instant Power



AutoPower____



Torch 11-22











Recharges your electronic devices anytime anywhere you need.



Never leave home without your GP Portable PowerBank®!



GP insists to provide product of high quality and safety standard

GP Portable PowerBank® with

- Low heat generation
- · At least 4-level safety protections
 - Over Temperature
 - Over / Under Voltage
 - Over Power
 - Short Circuit












3 Series

With our classic 3 Series Portable PowerBank®, you can recharge your electronic devices anywhere. It consists of varies capacity from 2000mAh to 10400mAh, which fits all your needs. The 4-level LED on the Portable PowerBank® shows the battery status. Selected models equipped with dual USB output in high capacity range. The compact and





The fast charging 7 Series would be your best partner in life. With colorful and trendy design, the 7 Series Portable PowerBank® is not only functionable, but also fashionable. Portable PowerBank® from 4000mAh to

10000mAh can charge your power-hungry devices for more than one time. High capacity models come with dual(2X) USB output, two devices can be charged simultaneously. With 2.1A or above output, the Portable PowerBank® can charge Samsung Galaxy Tab and iPad directly.

Instant Power

Instant Power is operated by primary battery to charge your devices. It would be the best companion on the go when you need emergency support. The portable and compact design is ideal for traveling and emergency use.





3 Series Below 4000mAh



GP321A

- Built-in 2600mAh lithium battery
- Compact
- Light weight (78g)
- 4-level LED power status indicators
- Input current: 0.75A
- Output current: 1A
- Dimension: 90 x 32 x 25mm



Available color:









GP322A

- Built-in 2500mAh lithium battery
- Ultra slim (1cm)
- 4-level LED power status indicators
- Input current: 0.75A
- Output current: 1A
- Dimension: 104 x 55 x 10mm



Available color:









3 Series 4000-6000mAh



GP341

- Built-in 4000mAh lithium battery
- Compact
- 4-level LED power status indicators
- Input current: 0.5A
- Output current: 1A
- Dimension: 102.9 x 57 x 20.5mm











GL343

- Built-in 4000mAh lithium battery
- Compact
- Ultra slim (1.1cm)
- 4-level LED power status indicators
- Input current: 0.8A
- Output current: 1A
- Dimension: 109 x 66.5 x 11mm

Available color:









3 Series 4000-6000mAh



GL351

- Built-in 5200mAh lithium battery
- Fast charging with 2.1A output
- 2.1A output is compatible with iPad, Samsung Galaxy Tab & most tablet PCs
- Capable to charge Samsung Galaxy Tab with connector
- 4-level LED power status indicators
- Input current: 1A
- Output current: 2.1A
- Dimension: 105.5 x 45.8 x 23.8mm

Available color:











GP352

- Built-in 5200mAh lithium battery
- Ultra slim (1.35cm)
- Fast charging with 2.1A output
- 2.1A output is compatible with iPad, Samsung Galaxy Tab & most tablet PCs
- 4-level LED power status indicators
- Input current: 1A
- Output current: 2.1A
- Dimension: 112 x 63 x 13.5mm

Available colour:









3 Series Above 6000mAh



GP381

- Built-in 8400mAh lithium battery
- Fast charging with 2.4A output
- Dual (2X) USB output (2.4A + 2.1A) for charging two tablet PCs or devices at the same time
- 2.4A output is compatiable with iPad, Samsung Galaxy Tab & most tablet PCs
- Able to charge iPad / Galaxy Tab directly (No extra connector needed)
- 4-level LED power status indicators
- Input current: 1.5A
- Output current: 2.4A+2.1A

(dual output)

Dimension: 107 x 73 x 23mm

Available color:













GL301

- Built-in 10400mAh lithium battery
- Dual (2X) USB output (2.1A + 1A) for charging two devices at the same time
- 2.1A output is compatible with iPad, Samsung Galaxy Tab & most tablet PCs
- Capable to charge Samsung Galaxy Tab with connector
- 4-level LED power status indicators
- Input current: 1A
- Output current: 2.1A+1A

(dual output)

Dimension: 111 x 77 x 24mm



Available colour:











7 Series (Fast Charging) 4000-6000mAh



GP741

- Built-in 4000mAh lithium battery
- Fast charging with 2.1A output
- 2.1A output is compatible with iPad, Samsung Galaxy Tab & most tablet PCs
- Able to charge iPad / Galaxy Tab directly (No extra connector needed)
- Anti-slip surface finishing
- 4-level LED power status indicators
- Input current: 1AOutput current: 2.1A
- Dimension: 106 x 61 x 15mm



Available color:













GP761

- Built-in 6000mAh lithium battery
- Dual (2X) USB output (2.1A + 1A) for charging two devices at the same time
- 2.1A output is compatible with iPad, Samsung Galaxy Tab & most tablet PCs
- Able to charge iPad / Galaxy Tab directly (No extra connector needed)
- Anti-slip surface finishing
- 4-level LED power status indicators
- Input current: 1A
- Output current: 2.1A+1A (dual output)
- Dimension: 118 x 68 x 16.5mm



Available color:













7 Series (Fast Charging) Above6000mAh



GP781

- Built-in 8000mAh lithium battery
- Turbo Charging with 2.4A output
- Speedy recharging with 1.5A input
- Dual (2X) USB output (2.4A + 1.6A) for charging two devices at the same time
- Able to charge iPad / Galaxy Tab directly (No extra connector needed)
- Anti-slip surface finishing
- 4-level LED power status indicators
- Input current: 1.5A
- Output current: 2.4A+1.6A (dual output)
- Dimension: 126 x 77.5 x 19.5mm

Available color:

















GP701

- Built-in 10000mAh lithium battery
- Turbo Charging with 2.4A output
- Speedy recharging with 1.5A input
- Dual (2X) USB output (2.4A + 1.6A) for charging two devices at the same time
- Able to charge iPad / Galaxy Tab directly (No extra connector needed)
- Anti-slip surface finishing
- 4-level LED power status indicators
- Input current: 1.5A
- Output current: 2.4A + 1.6A

(dual output)

Dimension: 126 x 77.5 x 19.5mm

Available color:

















Instant Power



XPB13

- Up to 240* minutes emergency power
- Powered by 1x9V alkaline battery
- Convenient charging via micro USB cable
- Ideal for most USB enabled devices
- Compact & portable
- Ideal for traveling
- Safety features include short circuit protection
- * Internal test result: Performance may vary under different conditions, such as the condition of network provided and electronic device model.



Car Adaptor

The Car Adaptor model XPC02 and XPC03 are compact and convenient charging via cigarette plug in car. The dual USB car adaptor with two USB ports can charge two electronic devices simultaneously in car. It allows users to charge a board range of mobile or USB enabled electronic devices such as MP3 players, mobile phones, smartphones, tablet PCs and gaming devices.



XPC02

- 2.1A dual USB car adaptor
- Convenient charging via USB ports
- Charge up to two electronic devices simultaneously in car
- LED indicator

XPC03

- 3.1A dual USB car adaptor
- Convenient charging via USB ports
- Charge up to two electronic devices simultaneously in car
- LED indicator







Home Range

GP Discovery Home Range always secures the source of light power in your family. The Range is contemporary and is specially designed for general household use. It's reliable and user-friendly when you need it most at home.

Compact Range

The Compact Range is tailored for personal use. You surely don't want to be left in the dark especially outdoors! Their designs are compact, light-weighted and handy, making them easy to be kept in pockets or briefcases and specially designed with durable aluminium casing. Compact Range offer consumers a bright and continual light source anytime at anywhere.

Outdoor Range

The water resistant Outdoor Range , including hand torches and headlamps, are developed to be used under adverse weather conditions. The torches are designed with non-slip rubber grip and handy strap for griping while the headlamps have pivoting heads with more than 90° adjustment for beam orientation. Their long lasting never needs replacing, making them the most dependable outdoor lighting tools.

Searcher

Featuring a high-powered light bulb, the Searcher torch comes with reliable, easy to operate slide switch. To reduce accidental rolling it

has a sleek, contemporary anti-roll design. A general-purpose torch, the Searcher is an economical, attractive and practical addition to any essential safety items list. Good quality at value price, it's perfect for everyday household use.

Discovery-Home Range



L071

- Super bright Krypton bulb
- Anti-roll triangular design
- Hanging hole
- Water resistant
- Impact resistant





L072

- Super bright Krypton bulb
- Anti-roll triangular design
- Hanging hole
- Water resistant
- Impact resistant



13G x 2 Powered by 2 x D



Discovery-Home Range (LED)















LHE 112

- Long lasting LED
 (lifetime up to 30,000 hours)
- Compact & lightweight
- Easy on / off button
- With handy strap
- With cartoon stickers
- Eye-catching color
- Water resistant
- Impact resistant



















LHE 110

- Long lasting LED
 (lifetime up to 50,000 hours)
- Anti-roll design
- Non slip grip
- Hanging ring
- Water resistant
- Impact resistant



15G x 2 Powered by 2 x AA















LHE 411

- Long lasting LED (lifetime up to 50,000 hours)
- Anti-roll design
- Non slip grip
- Hanging ring
- Water resistant
- Impact resistant



13G x 2 Powered by 2 x D



LHE 411A

- Long lasting LED (lifetime up to 50,000 hours)
- Anti-roll design
- Non slip grip
- With magnet inside, easy stick to magnetic surface
- Hanging ring
- Water resistant
- Impact resistant



13G x 2 Powered by 2 x D





LHE 101

- 3 x long lasting LED
 (lifetime up to 50,000 hours)
- Durable rubber button switch
- Handy carrying strap
- Water resistant
- * Non-RoHS version



Powered by 2 x AA



LHE 402

- 7 x long lasting LED
 (lifetime up to 50,000 hours)
- Durable rubber button switch
- Handy carrying strap
- Water resistant



Powered by 2 x D

^{*}Non-RoHS version



LHE 203

- 9 x long lasting LED (lifetime up to 50,000 hours)
- Durable aluminum casing
- Durable rubber button switch
- Handy carrying strap
- Water resistant
- * Non-RoHS version



Powered by 3 x AAA



LHE 204

- 1W superbright LED (45 lumens) (lifetime up to 50,000 hours)
- Durable aluminum casing
- Durable rubber button switch
- Handy carrying strap
- Water resistant



Powered by 3 x AAA

^{*}Non-RoHS version



Discovery-Outdoor Range



LOE 102

- 1 x 5W ultra bright CREE LED (lifetime up to 50,000 hours)
- Durable aluminium casing
- Non-slip rubber grip
- With handy strap and metal clip
- Water resistant



15AU x 2 • Powered by 2 x AA











LOE 203

- 1 x 5W ultra bright CREE LED (lifetime up to 50,000 hours)
- Durable aluminium casing
- Non-slip rubber grip
- With handy strap and metal clip
- Water resistant



24AU x 3
• Powered by 3 x AAA















LOE 205

- Head lamp
- Long lasting LED (lifetime up to 50, 000 hours)
- Red LED for night version
- Plastic pivoting head with more than 90° adjustment for beam orientation
- Adjustable headband
- Water resistant



24AU x 3 • Powered by 3 x AAA















LOE 208

- Head lamp
- 1 x 5W ultra bright CREE LED (lifetime up to 50,000 hours)
- Durable plastic casing
- Plastic pivoting head with more than 90° adjustment for beam orientation
- 3 level brightness
- Elasticated headband
- Water resistant
- Impact resistant (up to 10m)



24AU x 3 • Powered by 3 x AAA

















LOE 309

- 1 x 5W ultra bright CREE LED (lifetime up to 50,000 hours)
- Durable aluminium casing
- Non-slip rubber grip
- With handy strap
- Water resistance
- Impact resistant



14AU x 3 • Powered by 3 x C















LOE 404

- 1 x 5W ultra bright CREE LED (lifetime up to 50,000 hours)
- Durable aluminium casing
- Non-slip rubber grip
- With handy strap
- Water resistant
- Impact resistant



13AU x 2 • Powered by 2 x D

Discovery-Compact Range















LCE 202

- 1 x super bright CREE LED (lifetime up to 50,000 hrs)
- Durable aluminium casing
- Non-slip rubber grip
- Focusing optical lens
- With metal key ring
- Water resistant
- Impact resistant
- Available in 8 colors



Powered by 1 x AAA



Powered by 1 x AAA



Powered by 1 x AAA



Powered by 1 x AAA



Powered by 1 x AAA



24AU x 1 Powered by 1 x AAA



Powered by 1 x AAA



Powered by 1 x AAA

















- Long lasting LED
- Durable aluminium casing
- Non-slip rubber grip
- With handy strap
- Water resistant



24AU x 3
• Powered by 3 x AAA













LCE 205

- Super bright LED (lifetime up to 30,000 hours)
- Durable aluminium casing
- Handy clip
- Water resistant



24AU x 1
• Powered by 1 x AAA















- Long lasting LED
- Durable aluminium casing
- Non-slip rubber grip
- With metal key ring
- Water resistent
- Available in 8 colors

















A76 x 3
• Powered by 3 x A76









A76 x 3
• Powered by 3 x A76



Searcher



L031

- Bright Krypton bulb
- Reliable slide switch
- Anti-roll design
- Built-in hanger





L032

- Bright Krypton bulb
- Reliable slide switch
- Anti-roll design
- Built-in hanger



13G x 2 • Powered by 2 x D



Portable PowerBank

3 Series

Model Name	GP321A	GP322A	GP341	GL343	GL351	GP352	GP381	GL301
lmage	8	GS .		CP C	©P CP		And the second second	GP
Design								
Dimensions	90L x 32W x 25H mm	104L x 55W x 10H mm	102.9L x 57W x 20.5H mm	109L x 66.5W x 11H mm	105.5L x 45.8W x 23.8H mm	112L x 63W x 13.5H mm	107L x 73W x 23H mm	111L x 77W x 24H mm
Weight	78g	76g	130g	108g	140g	128g	250g	260g
Functionality								
Capacity	2600mAh	2500mAh	4000mAh	4000mAh	5200mAh	5200mAh	8400mAh	10400mAh
Backup Power to iPhone 5(est.)	82% / >1 time	82% / >1 time	>1.5 times	>1.5 times	~2.5 times	~2.5 times	~4 times	~5 times
Input Current	0.75A	0.75A	0.5A	0.8A	1A	1A	1.5A	1A
Output Current	1A	1A	1A	1A	2.1A	2.1A	2.4A+2.1A (dual output)	2.1A+1A (dual output)
Recharging Time	4.5 hrs	4.5 hrs	10 hrs	6 hrs	6.5 hrs	7 hrs	8 hrs	11.5 hrs
Safety Protections	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LED Indication								
Recharging Status	4 LEDs	4 LEDs	4 LEDs	4 LEDs	4 LEDs	4 LEDs	4 LEDs	4 LEDs
Battery Status	4 LEDs	4 LEDs	4 LEDs	4 LEDs	4 LEDs	4 LEDs	4 LEDs	4 LEDs

Portable PowerBank

7 Series (Fast Charging)

Model Name	GP741	GP761	GP781	GL701
lmage	1.6	. 6		
Design				
Dimensions	106L x 61W x 15Hmm	118L x 68W x 16.5H mm	126L x 77.5W x 19.5H mm	126L x 77.5W x 19.5H mm
Weight	115g	168g	210g	241g
Functionality				
Capacity	4000mAh	6000mAh	8000mAh	10000mAh
Backup Power to iPhone 5(est.)	>1.5 times	>2.5 times	~4 times	~5 times
Input Current	1A	1A	1.5A	1.5A
Output Current	2.1A	2.1A+1A (dual output)	2.4A+1.6A (dual output)	2.4A+1.6A (dual output)
Recharging Time	5 hrs	7 hrs	6.5 hrs	8 hrs
Safety Protections	Yes	Yes	Yes	Yes
LED Indication				
Recharging Status	4 LEDs	4 LEDs	4 LEDs	4 LEDs
Battery Status	4 LEDs	4 LEDs	4 LEDs	4 LEDs

GP Batteries

AutoPower

Car Adaptor

Model Name	XPC02	XPC03	
lmage			
Specifications			
Input Voltage	10 - 18V DC	10 - 18V DC	
Outrout Voltage 9 Comment	5V DC 2.1A (for one USB output)	5V DC 1A & 2.1A	
Output Voltage & Current	5V DC 1A (for two USB output)		
Dimension	48(L) x Ø30(Ø20)mm	76.9(L) x Ø32(Ø20)mm	
Weight (Car Charger Only)	18g(approx.)	26g(approx.)	
Operation Temperature	0° - 40°C	0° - 40°C	
LED Indication			
Condition	LED Indicator	LED Indicator	
Input power is detected	Blue LED on	Blue LED on	

Instant Power

Model Name	XPB13
lmage	GP
Design	
Dimensions	80 x 36 x 22 mm
Weight	28g
Functionality	
Power Source	1 x 9V alkaline battery
Output Current	0.5A
Dischanging Time	45 mins
LED Indication	
Condition	LED Indicstor
Charging Status	1 x LED



Torch

Discovery-Home Range

Model Name	L071	L072	LHE112	LHE110	LHE411	LHE411A	LHE101*	LHE402*	LHE203*	LHE204*
lmage	0	(D(a)	•	0 2006	Obere o	Obsess 0		0	3 (m)	
Design										
Dimensions	54 x 170 mm	69 x 215 mm	31 x 113 mm	18 x 160 mm	62 x 199 mm	62 x 199 mm	35 x 154 mm	61 x 194 mm	32 x 98 mm	32 x 115 mm
Weight	65g	116g	26g	46g	132g	132g	48.5g	122g	62g	74g
Functionality										
Bulb / LED Type	Krypton	Krypton	8mm LED	0.3W LED	0.3W LED	0.3W LED	3 x LED**	7 x LED**	9 x LED**	1W LED**
Power Source	2 x AA	2 x D	1 x AA	2 x AA	2 x D	2 x D	2 x AA	2 x D	3 x AAA	3 x AAA
Light Output	-	-	6 lm	15 lm	20 lm	20 lm	15 lm	30 lm	-	45 lm
Peak Intensity	-	-	100 mcd	300 cd	400 cd	400 cd	220 cd	1200 cd	12000 mcd	-
Impact Resistance	1m	1m	1m	1m	1m	1m	-	-	1m	1m
Beam Distance	-	-	20m	35m	40m	49m	30m	70m	25m	80m
Battery Runtime	1.5hrs	7hrs	20hrs	8hrs	45hrs	45hrs	35hrs	58hrs	18hrs	9hrs
Other feature										
Water Resistant	Yes	Yes	Yes							

Torch

Discovery-Outdoor Range

Model Name	LOE102	LOE201	LOE203	LOE205	LOE208	LOE309	LOE404
lmage	11.0						- P
Design							
Dimensions	34 x 168mm	43 x 117mm	37 x 120mm	70 x 60 x 46mm	64 x 44 x 41mm	46 x 32 x 258mm	20x 212mm
Weight	138g	81g	120g	90g	44g	212g	208g
Functionality							
LED Type	5W CREE LED	6 x 5mm CREE LED	5W CREE LED	0.5W + 1x Red LED	5W CREE LED	5W CREE LED	5W CREE LED
Power Source	2 x AA	4 x AAA	3 x AAA	3 x AAA	3 x AAA	3 x C	2 x D
Light Output	80 lm	13 lm	150 lm	28 lm	140 lm	180 lm	180 lm
Peak Intensity	3600 cd	90 cd	5000 cd	3200 cd	1600 cd	11000 cd	8000 cd
Beam Distance	120 m	19 lm	140 m	110 m	80 m	200 m	170 m
Impact Resistant	1 m	1 m	1 m	1 m	10 m	1 m	1 m
Battery Runtime	1.5 hrs	20 hrs	2 hrs	18 hrs	2 hrs	3 hrs	2 hrs
Other feature							
Water Resistant	Yes	Yes	Yes	Yes	Yes	Yes	Yes

^{*}non-RoHS **non-licensed LED

GP Batteries

Torch

Discovery-Compact Range

Model Name	LCE202	LCE203	LCE205	LCE604
lmage			mento	
Design				
Dimensions	18 x 90 mm	32 x 104 mm	14.5 x 105 mm	18 x 50 mm
Weight	25g	86g	25g	22g
Functionality				
Bulb / LED Type	5 mm CREE LED	1W LED	5 mm LED	5 mm LED
Power Source	1 x AAA	3 x AAA	1 x AAA	3 x A76
Light Output	8 lm	50 lm	5 lm	8 lm
Peak Intensity	120 cd	1200 cd	16000 mcd	100 cd
Impact Resistance	1m	1m	1m	1m
Beam Distance	20m	70m	10m	20m
Battery Runtime	15hrs	10hrs	12hrs	1hr
Other feature				
Water Resistant	Yes	Yes	Yes	Yes

Torch

Discovery-Searcher

Model Name	L031	L032	
lmage		OP	
Design			
Dimensions	42 x 152 mm	63 x 198 mm	
Weight	38g	85g	
Functionality			
Bulb / LED Type	Krypton	Krypton	
Power Source	2 x AA	2 x D	
Light Output	4 lm	14 lm	
Peak Intensity	220 cd	750 cd	
Beam Distance	30m	55m	
Battery Runtime	0.75hrs	5hrs	
Other feature			
Water Resistant	Yes	Yes	

